

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S32	20814032	(@ad<"20010303" or @rlad<"20010303")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 10:09
S33	1080372	(@ad<"20010303" or @rlad<"20010303") and channel driver\$1 and channel\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 10:10
S34	1012787	(@ad<"20010303" or @rlad<"20010303") and channel driver\$1 and channel\$2 near15 type\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 10:10
S35	369	(@ad<"20010303" or @rlad<"20010303") and channel near driver\$1 and channel\$2 near15 type\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 10:14
S36	0	(@ad<"20010303" or @rlad<"20010303") and channel near driver\$1 near15 media near3 type\$1 and channel\$2 near15 type\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 10:11
S37	0	(@ad<"20010303" or @rlad<"20010303") and channel near driver\$1 near15 media and channel\$2 near15 type\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 10:12
S38	41	(@ad<"20010303" or @rlad<"20010303") and channel near driver\$1 near15 channel\$2 near15 type\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 10:12

EAST Search History

S39	0	(@ad<"20010303" or @rlad<"20010303") and channel near driver\$1 near15 channel\$2 near15 type\$1 and media near2 type\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 10:12
S40	31	(@ad<"20010303" or @rlad<"20010303") and channel near driver\$1 and channel\$2 near15 type\$1 and media near2 type\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 10:17
S41	7	(@ad<"20010303" or @rlad<"20010303") and channel near driver\$1 and channel\$2 near15 type\$1 and media near10 independent	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 10:14
S42	0	(@ad<"20010303" or @rlad<"20010303") and channel near driver\$1 and channel\$2 near15 (email\$1 or (electronic near mail\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 10:18
S43	0	(@ad<"20010303" or @rlad<"20010303") and channel near driver\$1 and channel\$2 near15 (e\$mail\$1 or (electronic near mail\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 10:19
S44	10	(@ad<"20010303" or @rlad<"20010303") and channel near5 driver\$1 and channel\$2 near15 (e\$mail\$1 or (electronic near mail\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 10:19
S45	11	(@ad<"20010303" or @rlad<"20010303") and channel\$1 near5 driver\$1 and channel\$2 near15 (e\$mail\$1 or (electronic near mail\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 10:23

EAST Search History

S46	0	(@ad<"20010303" or @rlad<"20010303") and driver near10 channel\$1 near5 fax near10 (e\$mail\$1 or (electronic near mail\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 10:24
S47	1	(@ad<"20010303" or @rlad<"20010303") and driver near10 channel\$1 same fax same (e\$mail\$1 or (electronic near mail\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 10:27
S48	72	(@ad<"20010303" or @rlad<"20010303") and driver same fax same (e\$mail\$1 or (electronic near mail\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 10:27
S49	15	(@ad<"20010303" or @rlad<"20010303") and driver same fax same (e\$mail\$1 or (electronic near mail\$1)) and channels	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 10:30
S50	2	(@ad<"20010303" or @rlad<"20010303") and "6332154". pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 10:31
S51	1	(@ad<"20010303" or @rlad<"20010303") and "6332154". pn. and driver\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 10:31
S52	1	(@ad<"20010303" or @rlad<"20010303") and "6332154". pn. and driver\$1 and channel\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 10:34

EAST Search History

S53	0	(@ad<"20010303" or @rlad<"20010303") and "6704409". pn. and driver\$1 and channel\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 10:34
S54	0	(@ad<"20010303" or @rlad<"20010303") and "6704409". pn. and driver\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 10:35
S55	2	(@ad<"20010303" or @rlad<"20010303") and "6704409". pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 10:38
S56	2351	(@ad<"20010303" or @rlad<"20010303") and channel near2 driver	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 10:38
S57	28	(@ad<"20010303" or @rlad<"20010303") and channel near2 driver near15 support\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 14:26
S58	28	(@ad<"20010303" or @rlad<"20010303") and channel near2 driver near15 support\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 10:39
S59	0	(@ad<"20010303" or @rlad<"20010303") and channel near2 driver near15 fax same (e\$mail\$1 or (electronic near mail\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 10:40

EAST Search History

S60	1	(@ad<"20010303" or @rlad<"20010303") and channel near2 driver same fax same (e\$mail\$1 or (electronic near mail\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 10:47
S61	0	(@ad<"20010303" or @rlad<"20010303") and channel near2 driver near15 types near5 media\$1 and media\$1 same fax same (e\$mail\$1 or (electronic near mail\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 10:48
S62	0	(@ad<"20010303" or @rlad<"20010303") and channel near2 driver near15 media\$1 and media\$1 same fax same (e\$mail\$1 or (electronic near mail\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 10:50
S63	0	(@ad<"20010303" or @rlad<"20010303") and channel near2 driver near15 protocols and media\$1 same fax same (e\$mail\$1 or (electronic near mail\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 10:49
S64	0	(@ad<"20010303" or @rlad<"20010303") and channel near2 driver near15 protocols and fax same (e\$mail\$1 or (electronic near mail\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 10:49
S65	0	(@ad<"20010303" or @rlad<"20010303") and channel near2 driver near15 media\$1 and fax same (e\$mail\$1 or (electronic near mail\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 10:50
S66	1	(@ad<"20010303" or @rlad<"20010303") and channel near2 driver same fax same (e\$mail\$1 or (electronic near mail\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 10:50

EAST Search History

S67	0	(@ad<"20010303" or @rlad<"20010303") and channel near2 driver near15 protocols and fax same (e\$mail\$1 or (electronic near mail\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 10:51
S68	0	(@ad<"20010303" or @rlad<"20010303") and channel near2 driver near15 types and fax same (e\$mail\$1 or (electronic near mail\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 10:51
S69	1	(@ad<"20010303" or @rlad<"20010303") and channel near2 driver near15 different and fax same (e\$mail\$1 or (electronic near mail\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 10:52
S70	33	(@ad<"20010303" or @rlad<"20010303") and driver near15 media\$1 and fax same (e\$mail\$1 or (electronic near mail\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 11:07
S71	14	(@ad<"20010303" or @rlad<"20010303") and driver near15 protocols and fax same (e\$mail\$1 or (electronic near mail\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 13:11
S72	187	managing near10 conferenc\$3 near2 system	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 13:12
S73	43	managing near10 conferenc\$3 near2 system and "709"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 13:15

EAST Search History

S74	0	filter\$4 near10 rank\$4 near10 stream\$1"709"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 13:16
S75	7	filter\$4 near10 rank\$4 near10 stream\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 13:17
S76	40884	filter\$4 near10 stream\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 13:20
S77	5	filter\$4 near10 stream\$1 near15 rank\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 13:18
S78	42	filter\$4 near10 stream\$1 and rank\$1 near10 stream\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 13:18
S79	8795	filter\$4 near10 stream\$1.ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 13:20
S80	42	filter\$4 near10 stream\$1.ab. and rank\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 13:21

EAST Search History

S81	5	filter\$4 near10 stream\$1.ti. and rank\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 13:23
S82	3733	delivery near3 parameter\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 13:24
S83	429	delivery near3 parameter\$1.ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 13:25
S84	21	delivery near3 parameter\$1.ab. and bandwidth	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 13:28
S85	17	delivery near3 parameter\$1 and adjust\$4 near15 bandwidth	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 13:34
S86	5625	filter\$4 same conferenc\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 13:35
S87	40	filter\$4 near15 participant\$2 same conferenc\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 13:38

EAST Search History

S88	42752	filter\$4 near15 media\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 13:38
S89	57	filter\$4 near15 media\$1 same participant\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 13:39
S90	0	(@ad<"20010303" or @rlad<"20010303") and multimedia near call near center	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 14:26
S91	69	(@ad<"20010303" or @rlad<"20010303") and multimedia near call near center	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 14:26
S92	18	(@ad<"20010303" or @rlad<"20010303") and multimedia near call near center and channels	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 14:29
S93	1	(@ad<"20010303" or @rlad<"20010303") and multimedia near call near center and channels near15 media\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 14:28
S94	1	(@ad<"20010303" or @rlad<"20010303") and multimedia near call near center and channels near15 media\$1 and channel\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 14:28

EAST Search History

S95	1	(@ad<"20010303" or @rlad<"20010303") and multimedia near call near center and channel\$1 same email same fax	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 14:30
S96	1	(@ad<"20010303" or @rlad<"20010303") and multimedia near call near center and channel\$1 same email\$1 same fax\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 14:31
S97	0	(@ad<"20010303" or @rlad<"20010303") and multimedia near call near center and channel\$1 same email\$1 same fax\$2 and driver\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 14:31
S98	21	(@ad<"20010303" or @rlad<"20010303") and call near center and channel\$1 same email\$1 same fax\$2 and driver\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 14:31
S99	0	(@ad<"20010303" or @rlad<"20010303") and call near center and channel\$1 same email\$1 same fax\$2 and driver\$1 near15 channel\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 14:32
S10 0	19	(@ad<"20010303" or @rlad<"20010303") and call near center and driver\$1 near15 channel\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 14:37
S10 1	3	(@ad<"20010303" or @rlad<"20010303") and call near center and driver\$1 near15 channel\$1 and driver\$1 same (media\$1 or fax\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 14:32

EAST Search History

S10 2	521	(@ad<"20010303" or @rlad<"20010303") and call near center and driver	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 14:37
S10 3	14	(@ad<"20010303" or @rlad<"20010303") and call near center and driver near15 media\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 14:38
S10 4	34	(@ad<"20010303" or @rlad<"20010303") and call near center and driver near15 fax\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 14:38
S10 5	34	(@ad<"20010303" or @rlad<"20010303") and call near center and driver near15 fax\$2 not S103	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 14:40
S10 6	10	(@ad<"20010303" or @rlad<"20010303") and call near center and driver near15 channels	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 14:40
S10 7	10	(@ad<"20010303" or @rlad<"20010303") and call near center and driver near15 channels and channel\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 14:40
S10 8	0	(@ad<"20010303" or @rlad<"20010303") and call near center and driver near15 channels and channel\$1 near15 (media\$1 or fax\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 14:40

EAST Search History

S10 9	10	(@ad<"20010303" or @rlad<"20010303") and call near center and driver near15 channels and channel\$1 near15 (media\$1 or voice)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 16:43
S11 0	1	(@ad<"20010303" or @rlad<"20010303") and "6332154". pn. and driver\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 17:45
S11 1	2	(@ad<"20010303" or @rlad<"20010303") and "6332154". pn. and wizard	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/29 17:45